

## IN THE CLAIMS

Claims 1-88 (Canceled).

89. (Withdrawn—Currently Amended) A method comprising:

receiving ~~the~~ a selection of one video program from an electronic program guide, the electronic program guide displayed on a display which is coupled to a receiver;

in response to receiving said selection, displaying on said display a graphical user interface other than the electronic program guide, said graphical user interface including a plurality of video program options from which another video program is to be selected, said one video program and said other video program to be broadcast at overlapping times;

receiving, monitoring, and storing another video transmission on said receiver while tuning said receiver to display one video transmission that is different from the other video transmission, the one video transmission corresponding to said one video program and the other video transmission corresponding to said other video program; ~~and~~

in response to detecting the occurrence of an event in the other video transmission, causing said receiver to switch from the display of the one video transmission to display the other video transmission while storing the one video transmission, the display of the other video transmission from a predetermined time before the occurrence of the event, the storing of the one video transmission from said switch[[]]; and

in response to another event, displaying at least a portion of the one video transmission that was stored during said switch.

90. (Withdrawn—Currently Amended) The method of claim 89 including ~~in response to another event, displaying at least a portion of the one video transmission that was stored during said switch and~~ again monitoring and storing said other ~~one~~ video transmission in response to the another event.

91. (Withdrawn) The method of claim 89 wherein in response to receiving said selection further includes displaying a graphical user interface to enable a user to indicate the event in the other video transmission for which the receiver is to monitor, and storing the indicator of the event on said receiver.

92. (Withdrawn) The method of claim 89 including storing more than one user-selected option, said options associated with different events in different video transmissions.

93. (Withdrawn) The method of claim 92 including storing more than one video transmission and monitoring the transmissions for a user-selected option.

94. (Withdrawn) The method of claim 89 including displaying said other video transmission from a time of about forty-five seconds prior to the occurrence of the event.

95. (Withdrawn) The method of claim 89 including automatically queuing the stored other video transmission in response to detecting the event.

96. (Withdrawn) The method of claim 89 including monitoring and storing said other video transmission while displaying said other transmission.

97. (Withdrawn) The method of claim 89 including tuning said receiver to receive a television broadcast.

98. (Withdrawn) The method of claim 89 including storing said one video transmission and said another video transmission in a memory.

99. (Withdrawn—Currently Amended) An medium for storing instructions that, if executed, enable a processor-based receiver to:

display a user interface on a display coupled to the receiver, said user interface including a listing of a plurality of programs to be televised on a given day at overlapping times, an indicator associated with each program to indicate whether the particular program should be monitored for an event, and if a particular program is to be monitored, another indicator to indicate the type of event for which the receiver is to monitor;

simultaneously receive the number of video transmissions on the receiver corresponding to the number of televised programs indicated, in said user interface, to be monitored;

tune said receiver to display ~~one of the~~ a first video transmissions and to monitor

and to store the ~~other~~ number of received video transmissions, each ~~other~~ video transmission in said number of received video transmissions to be monitored for the corresponding event indicated in said user interface ~~associated with particular video transmission~~; and

in response to detecting an event in one of the number of received ~~monitored~~ video transmissions, stop the display of the first one video transmission to store the first one video transmission from the stop of the display and display ~~said~~ the one of the number of received ~~monitored~~ video transmission in which the event was detected, the display of said one of the number of received ~~monitored~~ video ~~transmission~~ transmissions from a predetermined time before the occurrence of the event~~[[.]]~~ ; and

in response to detecting an event in the first video transmission, display at least a portion of the first video transmission that was stored after detecting the event in the one of the number of received video transmissions.

100. (Withdrawn—Currently Amended) The medium of claim 99 further storing instructions that, if executed, enable ~~a system~~ the receiver to store more than one user-selected option corresponding to a type of event for monitoring and display the user interface listing a plurality of programs, the programs of the same genre, said user interface to enable the user to select whether a given listed program should be monitored.

101. (Withdrawn—Currently Amended) The medium of claim 99 further storing instructions that, if executed, enable ~~a system~~ the receiver to store a plurality of video transmissions and monitor the transmissions for a user-selected option.

102. (Withdrawn—Currently Amended) The medium of claim 99 further storing instructions that, if executed, enable ~~a system~~ the receiver to queue said one of the number of received ~~monitored~~ video ~~transmission~~ transmissions from a time of about forty-five seconds prior to the occurrence of the event.

103. (Withdrawn—Currently Amended) The medium of claim 99 further storing instructions that, if executed, enable ~~a system~~ the receiver to automatically queue the stored one of the number of received ~~monitored~~ video ~~transmission~~ transmissions in response to detecting the event.

104. (Withdrawn—Currently Amended) The medium of claim 99 further storing instructions that, if executed, enable ~~a system~~ the receiver to display a notification of the occurrence of the event and, in response to user input queue the stored one of the number of received monitored video transmission transmissions.

105. (Withdrawn—Currently Amended) The medium of claim 99 further storing instructions that, if executed, enable ~~a system~~ the receiver to monitor and store said one of the number of received monitored video transmission transmissions while being displayed.

106. (Withdrawn—Currently Amended) The medium of claim 99 further storing instructions that, if executed, enable ~~a system~~ the receiver to display the queued one of the number of received monitored video transmission transmissions from a user-defined time before the occurrence of the event.

107. (Withdrawn—Currently Amended) A receiver comprising:  
a processor;  
a display device coupled to the processor; and  
a medium available to said processor, said medium storing instructions that, if executed, enable the processor to receive the selection of one television program from an electronic program guide that is displayed on said display device, in response to receiving the selection, display on said display device a graphical user interface other than the electronic program guide, said graphical user interface including a plurality of other television programs that are to be broadcast while the one television program is being broadcast, in response to the selection of at least one of the other television programs, receive, monitor, and store a first video transmission corresponding to the selected at least one of the other television programs ~~program~~ while said receiver is tuned to display a second, different video transmission corresponding to the one television program, in response to detecting an event in said first video transmission, replace the display of said second video transmission with the display of said first video transmission from a predetermined time before the occurrence of the event and simultaneously store said second video transmission, and in response to another event, replace the display of said one video transmission with the display of at least a portion of said second video transmission that was stored while said first transmission was displayed.

108. (Withdrawn) The receiver of claim 107 including a television system coupled to the receiver, and wherein the receiver is a set-top box.

109. (Withdrawn) The receiver of claim 107 further storing instructions that, if executed, enable the processor to display another user interface on said display device, said other user interface other than said graphical user interface, said other user interface including a listing of a plurality of programs televised on a given day at overlapping times, an indicator associated with each program to indicate whether the particular program should be monitored for an event, and if a particular program is to be monitored, another indicator to indicate the type of event for which the receiver is to monitor.

110. (Withdrawn) The receiver of claim 107 further storing instructions that, if executed, enable the processor to store criteria for more than one type of event for monitoring and display the other user interface including a listing of a plurality of programs, of the same genre, said other user interface to enable the user to select whether a given listed program should be monitored.

111. (Withdrawn) The receiver of claim 107 further storing instructions that, if executed, enable the processor to display the other user interface including a listing of a plurality of sporting events, and wherein the types of events for monitoring includes at least one of a point differential or the time remaining in a sporting event.